Journal of Nuclear Materials 188 (1992) 337–339
North-Holland

journal of nuclear materials

# Author index

Abe, T., N. Nakae, K. Kodato, M. Matsumoto and T. Inabe, Failure behavior of plutonium–uranium mixed oxide fuel under reactivity-initiated accident condition 188 (1992) 154
Akabori, M., A. Itoh, T. Ogawa, F. Kobayashi and Y. Suzuki, Stability and structure of the δ phase of the U–Zr alloys 188 (1992) 249
Arai, Y., see Suzuki, Y. 188 (1992) 239
Arita, Y., see Matsui, T. 188 (1992) 205

Bairiot, H. and P. Deramaix, MOX fuel development: yesterday, today and tomorrow 188 (1992) 10
Ball, R.G.J. and R.W. Grimes, A comparison of the behaviour of fission gases in $UO_{2\pm x}$ and $\alpha$-$U_3O_{8-z}$ 188 (1992) 216
Bardelle, P. and D. Warin, Mechanism and kinetics of the uranium–plutonium mononitride synthesis 188 (1992) 36
Bart, G., see Blank, H. 188 (1992) 273
Beauvy, M., Nonideality of the solid solution in (U, Pu)$O_2$ nuclear fuels 188 (1992) 232
Bevz, A.S., see Teske, K. 188 (1992) 226
Beyer, C.E., see Thomas, L.E. 188 (1992) 80
Blank, H., G. Bart and H. Thiele, Structural analysis of oxide scales grown on zirconium alloys in autoclaves and in a PWR 188 (1992) 273
Boidron, M., see Tourasse, M. 188 (1992) 49
Bokelund, H., see Hadibi-Olschewski, N. 188 (1992) 244

Charles, M. and C. Lemaignan, Fuel performance under normal PWR conditions: A review of relevant experimental results and models 188 (1992) 96
Charlot, L.A., see Thomas, L.E. 188 (1992) 80
Chatillon, C., see Froment, K. 188 (1992) 280
Chkuaseli, V.F., Modelling of inert gas bubble behaviour during annealing of irradiated molybdenum 188 (1992) 258
Crawford, D.C., see Pahl, R.G. 188 (1992) 3
Cunningham, M.E., M.D. Freshley and D.D. Lanning, Development and characteristics of the rim region in high burnup $UO_2$ fuel pellets 188 (1992) 19

Degueldre, C., J.C. Dran and E. Schenker, Study of the oxidation of a stainless steel under BWR conditions by advanced analytical techniques 188 (1992) 255
Deramaix, P., see Bairiot, H. 188 (1992) 10
Dran, J.C., see Degueldre, C. 188 (1992) 255

Evans, J.H., Effect of temperature on bubble precipitation in uranium dioxide implanted with krypton and xenon ions 188 (1992) 222

Fåk, B., see Goff, J.P. 188 (1992) 210
Fouletier, J., see Froment, K. 188 (1992) 280
Fouletier, M., see Froment, K. 188 (1992) 280
Freshley, M.D., see Cunningham, M.E. 188 (1992) 19
Froment, K., C. Chatillon, J. Fouletier and M. Fouletier, Carbon activity measurements in boron carbides using a solid state potentiometric cell 188 (1992) 280
Froment, K., D. Gosset, M. Guéry, B. Kryger and C. Verdeau, Neutron irradiation effects in boron carbides: Evolution of microstructure and thermal properties 188 (1992) 185
Fujishiro, T., K. Yanagisawa, K. Ishijima and K. Shiba, Transient fuel behavior of preirradiated PWR fuels under reactivity initiated accident conditions 188 (1992) 162

Geithoff, D., G. Mühling and K. Richter, Irradiation of a 19 pin subassembly with mixed carbide fuel in KNK II 188 (1992) 43
Glatz, J.-P., see Hadibi-Olschewski, N. 188 (1992) 244
Goff, J.P., B. Fåk, W. Hayes and M.T. Hutchings, Defect structure and oxygen diffusion in $UO_{2+\delta}$ 188 (1992) 210
Gosset, D., see Froment, K. 188 (1992) 185
Götzmann, O., Fission product behaviour in fast breeder fuel pins 188 (1992) 58
Grimes, R.W., see Ball, R.G.J. 188 (1992) 216
Guéry, M., see Froment, K. 188 (1992) 185

Hadibi-Olschewski, N., J.-P. Glatz, H. Bokelund and M.J.-F. Leroy, The fate of nitrogen upon reprocessing of nitride fuels 188 (1992) 244
Hagen, S., see Schanz, G. 188 (1992) 131
Hayes, W., see Goff, J.P. 188 (1992) 210
Hofmann, P., see Schanz, G. 188 (1992) 131
Hutchings, M.T., see Goff, J.P. 188 (1992) 210

Imamura, M., see Une, K. 188 (1992) 65
Inabe, T., see Abe, T. 188 (1992) 154
Ingold, F., see Ledergerber, G. 188 (1992) 28
Ishijima, K., see Fujishiro, T. 188 (1992) 162
Itoh, A., see Akabori, M. 188 (1992) 249

Kameyama, T., see Walker, C.T. 188 (1992) 73
Kapshukov, I.I., see Teske, K. 188 (1992) 226
Kashibe, S., see Une, K. 188 (1992) 65
Kinoshita, M., see Tsuboi, Y. 188 (1992) 312
Kinoshita, M., see Walker, C.T. 188 (1992) 73
Kitajima, S., see Walker, C.T. 188 (1992) 73
Kobayashi, F., see Akabori, M. 188 (1992) 249
Kodato, K., see Abe, T. 188 (1992) 154
Kolstad, E. and C. Vitanza, Fuel rod and core materials investigations related to LWR extended burnup operation 188 (1992) 104
Komoda, S., N. Nakae and M. Matsumoto, Simplified model for the analysis on the duct wall deflection due to in-reactor creep in LMFBR fuel assemblies 188 (1992) 319
Kopajtic, Z., see Ledergerber, G. 188 (1992) 28
Kryger, B., see Froment, K. 188 (1992) 185

Lanning, D.D., see Cunningham, M.E. 188 (1992) 19
Lassmann, K., TRANSURANUS: a fuel rod analysis code ready for use 188 (1992) 295
Ledergerber, G., Z. Kopajtic, F. Ingold and R.W. Stratton, Preparation of uranium nitride in the form of microspheres 188 (1992) 28
Lemaignan, C., see Charles, M. 188 (1992) 96
Leroy, M.J.-F., see Hadibi-Olschewski, N. 188 (1992) 244
Lucuta, P.G., Hj. Matzke, R.A. Verrall and H.A. Tasman, Thermal conductivity of SIMFUEL 188 (1992) 198

Maeda, A., see Suzuki, Y. 188 (1992) 239
Massih, A.R., S. Persson and Z. Weiss, Modelling of (U, Gd)$O_2$ fuel behaviour in boiling water reactors 188 (1992) 323
Matsui, T., Y. Arita and K. Naito, High temperature heat capacities and electrical conductivities of $UO_2$ doped with yttrium and simulated fission products 188 (1992) 205
Matsumoto, M., see Abe, T. 188 (1992) 154
Matsumoto, M., see Komoda, S. 188 (1992) 319
Matsumoto, M., see Nakae, N. 188 (1992) 331
Matzke, Hj. and A. Turos, Ion implantation studies of $UO_2$ and UN 188 (1992) 285
Matzke, Hj., see Lucuta, P.G. 188 (1992) 198
Matzke, Hj., see Ray, I.L.F. 188 (1992) 90
Melis, J.C., L. Roche, J.P. Piron and J. Truffert, GERMINAL – A computer code for predicting fuel pin behaviour 188 (1992) 303
Mühling, G., see Geithoff, D. 188 (1992) 43

Naito, K., see Matsui, T. 188 (1992) 205
Nakae, N., K. Tanaka, H. Nakajima and M. Matsumoto, Development of the thermal behavior analysis code DIRAD and the fuel design procedure for LMFBR 188 (1992) 331
Nakae, N., see Abe, T. 188 (1992) 154
Nakae, N., see Komoda, S. 188 (1992) 319
Nakajima, H., see Nakae, N. 188 (1992) 331
Nebelung, C., see Teske, K. 188 (1992) 226
Negut, G. and M. Popov, $UO_2$ fuel behavior under RIA type tests 188 (1992) 168
Nogita, K., see Une, K. 188 (1992) 65

Ogata, T., see Tsuboi, Y. 188 (1992) 312
Ogawa, T., see Akabori, M. 188 (1992) 249
Ohmichi, T., see Suzuki, Y. 188 (1992) 239

Pahl, R.G., D.L. Porter, D.C. Crawford and L.C. Walters, Irradiation behavior of metallic fast reactor fuels 188 (1992) 3
Pasquet, B., see Tourasse, M. 188 (1992) 49
Persson, S., see Massih, A.R. 188 (1992) 323
Philipponneau, Y., Thermal conductivity of (U, Pu)$O_{2-x}$ mixed oxide fuel 188 (1992) 194
Piron, J.P., see Melis, J.C. 188 (1992) 303
Popov, M., see Negut, G. 188 (1992) 168
Porter, D.L., see Pahl, R.G. 188 (1992) 3

Ray, I.L.F., H. Thiele and Hj. Matzke, Transmission electron microscopy study of fission product behaviour in high burnup $UO_2$ 188 (1992) 90
Richter, K., see Geithoff, D. 188 (1992) 43
Roche, L., see Melis, J.C. 188 (1992) 303

Saito, H., see Tsuboi, Y. 188 (1992) 312
Schanz, G., S. Hagen, P. Hofmann, G. Schumacher and L. Sepold, Information on the evolution of severe LWR fuel element damage obtained in the CORA program 188 (1992) 131
Schenker, E., see Degueldre, C. 188 (1992) 255
Schumacher, G., see Schanz, G. 188 (1992) 131
Sepold, L., see Schanz, G. 188 (1992) 131
Shiba, K., see Fujishiro, T. 188 (1992) 162
Steiner, H., Fuel behaviour under severe accident conditions: Interpretation of PTE results from the CABRI test programme 188 (1992) 146
Stratton, R.W., see Ledergerber, G. 188 (1992) 28
Sudakov, L.V., see Teske, K. 188 (1992) 226
Suzuki, Y., A. Maeda, Y. Arai and T. Ohmichi, Vaporization behavior of uranium–plutonium mixed nitride 188 (1992) 239
Suzuki, Y., see Akabori, M. 188 (1992) 249

Tanaka, K., see Nakae, N. 188 (1992) 331
Tanke, R.H.J., Mass and gamma spectrometric measurements of fission products released from overheated, fresh irradiated, uranium dioxide 188 (1992) 262
Tasman, H.A., see Lucuta, P.G. 188 (1992) 198
Tattegrain, A., see von der Hardt, P. 188 (1992) 115
Teske, K., C. Nebelung, H. Ullman, I.I. Kapshukov, L.V. Sudakov and A.S. Bevz, Investigation of nuclear mixed oxide fuel–gas interaction by a solid electrolyte based coulometric technique 188 (1992) 226
Thiele, H., see Blank, H. 188 (1992) 273
Thiele, H., see Ray, I.L.F. 188 (1992) 90
Thomas, L.E., C.E. Beyer and L.A. Charlot, Microstructural analysis of LWR spent fuels at high burnup 188 (1992) 80
Tourasse, M., M. Boidron and B. Pasquet, Fission product behaviour in Phenix fuel pins at high burnup 188 (1992) 49
Truffert, J., see Melis, J.C. 188 (1992) 303
Tsuboi, Y., T. Ogata, M. Kinoshita and H. Saito, Mechanistic model of fission gas behavior in metallic fuel 188 (1992) 312
Turos, A., see Matzke, Hj. 188 (1992) 285

Ullman, H., see Teske, K. 188 (1992) 226
Une, K., K. Nogita, S. Kashibe and M. Imamura, Microstructural change and its influence on fission gas release in high burnup $UO_2$ fuel 188 (1992) 65

Väth, L., Modelling fission gas behaviour in mixed oxide fuel under normal and off-normal conditions in fast reactors 188 (1992) 308
Verdeau, C., see Froment, K. 188 (1992) 185
Verrall, R.A., see Lucuta, P.G. 188 (1992) 198
Veshchunov, M.S. and A.M. Volchek, On the kinetics of $UO_2$ interaction with molten Zircaloy at high temperatures 188 (1992) 177
Veshchunov, M.S., On the theory of high temperature transition in fluorite-type oxides 188 (1992) 189
Vitanza, C., see Kolstad, E. 188 (1992) 104
Volchek, A.M., see Veshchunov, M.S. 188 (1992) 177
von der Hardt, P. and A. Tattegrain, The Phebus fission product project 188 (1992) 115

Walker, C.T., T. Kameyama, S. Kitajima and M. Kinoshita, Concerning the microstructure changes that occur at the surface of $UO_2$ pellets on irradiation to high burnup 188 (1992) 73
Walters, L.C., see Pahl, R.G. 188 (1992) 3
Warin, D., see Bardelle, P. 188 (1992) 36
Weiss, Z., see Massih, A.R. 188 (1992) 323

Yanagisawa, K., see Fujishiro, T. 188 (1992) 162

Journal of Nuclear Materials 188 (1992) 341–348
North-Holland

journal of nuclear materials

# Subject index

**Absorber Materials**
Neutron irradiation effects in boron carbides: Evolution of microstructure and thermal properties, K. Froment, D. Gosset, M. Guéry, B. Kryger and C. Verdeau 188 (1992) 185
Carbon activity measurements in boron carbides using a solid state potentiometric cell, K. Froment, C. Chatillon, J. Fouletier and M. Fouletier 188 (1992) 280

**Alloys and Metals** *("Various", i.e. not listed elsewhere by name)*
Study of the oxidation of a stainless steel under BWR conditions by advanced analytical techniques, C. Degueldre, J.C. Dran and E. Schenker 188 (1992) 255

**Analytical Instruments and Methods**
Investigation of nuclear mixed oxide fuel–gas interaction by a solid electrolyte based coulometric technique, K. Teske, C. Nebelung, H. Ullman, I.I. Kapshukov, L.V. Sudakov and A.S. Bevz 188 (1992) 226
The fate of nitrogen upon reprocessing of nitride fuels, N. Hadibi-Olschewski, J.-P. Glatz, H. Bokelund and M.J.-F. Leroy 188 (1992) 244
Study of the oxidation of a stainless steel under BWR conditions by advanced analytical techniques, C. Degueldre, J.C. Dran and E. Schenker 188 (1992) 255

**Ceramics** *("Various", i.e. not listed elsewhere by name)*
MOX fuel development: yesterday, today and tomorrow, H. Bairiot and P. Deramaix 188 (1992) 10
Thermal conductivity of SIMFUEL, P.G. Lucuta, Hj. Matzke, R.A. Verrall and H.A. Tasman 188 (1992) 198
Carbon activity measurements in boron carbides using a solid state potentiometric cell, K. Froment, C. Chatillon, J. Fouletier and M. Fouletier 188 (1992) 280

**Cladding Materials**
Structural analysis of oxide scales grown on zirconium alloys in autoclaves and in a PWR, H. Blank, G. Bart and H. Thiele 188 (1992) 273

**Compatibility and Corrosion**
Irradiation behavior of metallic fast reactor fuels, R.G. Pahl, D.L. Porter, D.C. Crawford and L.C. Walters 188 (1992) 3
Information on the evolution of severe LWR fuel element damage obtained in the CORA program, G. Schanz, S. Hagen, P. Hofmann, G. Schumacher and L. Sepold 188 (1992) 131
Study of the oxidation of a stainless steel under BWR conditions by advanced analytical techniques, C. Degueldre, J.C. Dran and E. Schenker 188 (1992) 255
Structural analysis of oxide scales grown on zirconium alloys in autoclaves and in a PWR, H. Blank, G. Bart and H. Thiele 188 (1992) 273

**Computer Calculations, including Modelling**
The Phebus fission product project, P. von der Hardt and A. Tattegrain 188 (1992) 115
Thermal conductivity of SIMFUEL, P.G. Lucuta, Hj. Matzke, R.A. Verrall and H.A. Tasman 188 (1992) 198
Modelling of inert gas bubble behaviour during annealing of irradiated molybdenum, V.F. Chkuaseli 188 (1992) 258
TRANSURANUS: a fuel rod analysis code ready for use, K. Lassmann 188 (1992) 295
GERMINAL – A computer code for predicting fuel pin behaviour, J.C. Melis, L. Roche, J.P. Piron and J. Truffert 188 (1992) 303
Mechanistic model of fission gas behavior in metallic fuel, Y. Tsuboi, T. Ogata, M. Kinoshita and H. Saito 188 (1992) 312
Simplified model for the analysis on the duct wall deflection due to in-reactor creep in LMFBR fuel assemblies, S. Komoda, N. Nakae and M. Matsumoto 188 (1992) 319
Development of the thermal behavior analysis code DIRAD and the fuel design procedure for LMFBR, N. Nakae, K. Tanaka, H. Nakajima and M. Matsumoto 188 (1992) 331
Modelling of $(U, Gd)O_2$ fuel behaviour in boiling water reactors, A.R. Massih, S. Persson and Z. Weiss 188 (1992) 323

**Crystallographic Properties**
Stability and structure of the δ phase of the U–Zr alloys, M. Akabori, A. Itoh, T. Ogawa, F. Kobayashi and Y. Suzuki 188 (1992) 249

**Defects and Defect Structures**
On the theory of high temperature transition in fluorite-type oxides, M.S. Veshchunov 188 (1992) 189
High temperature heat capacities and electrical conductivities of $UO_2$ doped with yttrium and simulated fission products, T. Matsui, Y. Arita and K. Naito 188 (1992) 205
Defect structure and oxygen diffusion in $UO_{2+\delta}$, J.P. Goff, B. Fåk, W. Hayes and M.T. Hutchings 188 (1992) 210
A comparison of the behaviour of fission gases in $UO_{2\pm x}$ and $\alpha$-$U_3O_{8-z}$, R.G.J. Ball and R.W. Grimes 188 (1992) 216
Effect of temperature on bubble precipitation in uranium dioxide implanted with krypton and xenon ions, J.H. Evans 188 (1992) 222
Investigation of nuclear mixed oxide fuel–gas interaction by a solid electrolyte based coulometric technique, K. Teske, C. Nebelung, H. Ullman, I.I. Kapshukov, L.V. Sudakov and A.S. Bevz 188 (1992) 226
Nonideality of the solid solution in (U, Pu)$O_2$ nuclear fuels, M. Beauvy 188 (1992) 232

**Diffusion** *(incl. Thermodiffusion)*
On the kinetics of $UO_2$ interaction with molten Zircaloy at high temperatures, M.S. Veshchunov and A.M. Volchek 188 (1992) 177
On the theory of high temperature transition in fluorite-type oxides, M.S. Veshchunov 188 (1992) 189
Defect structure and oxygen diffusion in $UO_{2+\delta}$, J.P. Goff, B. Fåk, W. Hayes and M.T. Hutchings 188 (1992) 210
Ion implantation studies of $UO_2$ and UN, Hj. Matzke and A. Turos 188 (1992) 285

**Electrical Properties**
High temperature heat capacities and electrical conductivities of $UO_2$ doped with yttrium and simulated fission products, T. Matsui, Y. Arita and K. Naito 188 (1992) 205

**Electron Microscopy and Electron Probe Microanalysis**
Microstructural analysis of LWR spent fuels at high burnup, L.E. Thomas, C.E. Beyer and L.A. Charlot 188 (1992) 80
Transmission electron microscopy study of fission product behaviour in high burnup $UO_2$, I.L.F. Ray, H. Thiele and Hj. Matzke 188 (1992) 90
Effect of temperature on bubble precipitation in uranium dioxide implanted with krypton and xenon ions, J.H. Evans 188 (1992) 222
Structural analysis of oxide scales grown on zirconium alloys in autoclaves and in a PWR, H. Blank, G. Bart and H. Thiele 188 (1992) 273

**Experimental Techniques**
Fission product behaviour in Phenix fuel pins at high burnup, M. Tourasse, M. Boidron and B. Pasquet 188 (1992) 49
The Phebus fission product project, P. von der Hardt and A. Tattegrain 188 (1992) 115
$UO_2$ fuel behavior under RIA type tests, G. Negut and M. Popov 188 (1992) 168
Mass and gamma spectrometric measurements of fission products released from overheated, fresh irradiated, uranium dioxide, R.H.J. Tanke 188 (1992) 262
Carbon activity measurements in boron carbides using a solid state potentiometric cell, K. Froment, C. Chatillon, J. Fouletier and M. Fouletier 188 (1992) 280

**Fabrication**
MOX fuel development: yesterday, today and tomorrow, H. Bairiot and P. Deramaix 188 (1992) 10
Preparation of uranium nitride in the form of microspheres, G. Ledergerber, Z. Kopajtic, F. Ingold and R.W. Stratton 188 (1992) 28
Mechanism and kinetics of the uranium–plutonium mononitride synthesis, P. Bardelle and D. Warin 188 (1992) 36

**Fast Reactors**
Irradiation behavior of metallic fast reactor fuels, R.G. Pahl, D.L. Porter, D.C. Crawford and L.C. Walters 188 (1992) 3
Preparation of uranium nitride in the form of microspheres, G. Ledergerber, Z. Kopajtic, F. Ingold and R.W. Stratton 188 (1992) 28
Irradiation of a 19 pin subassembly with mixed carbide fuel in KNK II, D. Geithoff, G. Mühling and K. Richter 188 (1992) 43
Fission product behaviour in Phenix fuel pins at high burnup, M. Tourasse, M. Boidron and B. Pasquet 188 (1992) 49
Fission product behaviour in fast breeder fuel pins, O. Götzmann 188 (1992) 58
Fuel behaviour under severe accident conditions: Interpretation of PTE results from the CABRI test programme, H. Steiner 188 (1992) 146
Neutron irradiation effects in boron carbides: Evolution of microstructure and thermal properties, K. Froment, D. Gosset, M. Guéry, B. Kryger and C. Verdeau 188 (1992) 185
The fate of nitrogen upon reprocessing of nitride fuels, N. Hadibi-Olschewski, J.-P. Glatz, H. Bokelund and M.J.-F. Leroy 188 (1992) 244
TRANSURANUS: a fuel rod analysis code ready for use, K. Lassmann 188 (1992) 295
GERMINAL – A computer code for predicting fuel pin behaviour, J.C. Melis, L. Roche, J.P. Piron and J. Truffert 188 (1992) 303

Modelling fission gas behaviour in mixed oxide fuel under normal and off-normal conditions in fast reactors, L. Väth 188 (1992) 308
Mechanistic model of fission gas behavior in metallic fuel, Y. Tsuboi, T. Ogata, M. Kinoshita and H. Saito 188 (1992) 312
Simplified model for the analysis on the duct wall deflection due to in-reactor creep in LMFBR fuel assemblies, S. Komoda, N. Nakae and M. Matsumoto 188 (1992) 319

**Fission Products**

Fission product behaviour in Phenix fuel pins at high burnup, M. Tourasse, M. Boidron and B. Pasquet 188 (1992) 49
Fission product behaviour in fast breeder fuel pins, O. Götzmann 188 (1992) 58
Microstructural change and its influence on fission gas release in high burnup $UO_2$ fuel, K. Une, K. Nogita, S. Kashibe and M. Imamura 188 (1992) 65
Concerning the microstructure changes that occur at the surface of $UO_2$ pellets on irradiation to high burnup, C.T. Walker, T. Kameyama, S. Kitajima and M. Kinoshita 188 (1992) 73
Microstructural analysis of LWR spent fuels at high burnup, L.E. Thomas, C.E. Beyer and L.A. Charlot 188 (1992) 80
Transmission electron microscopy study of fission product behaviour in high burnup $UO_2$, I.L.F. Ray, H. Thiele and Hj. Matzke 188 (1992) 90
Fuel performance under normal PWR conditions: A review of relevant experimental results and models, M. Charles and C. Lemaignan 188 (1992) 96
Fuel rod and core materials investigations related to LWR extended burnup operation, E. Kolstad and C. Vitanza 188 (1992) 104
The Phebus fission product project, P. von der Hardt and A. Tattegrain 188 (1992) 115
Fuel behaviour under severe accident conditions: Interpretation of PTE results from the CABRI test programme, H. Steiner 188 (1992) 146
Transient fuel behavior of preirradiated PWR fuels under reactivity initiated accident conditions, T. Fujishiro, K. Yanagisawa, K. Ishijima and K. Shiba 188 (1992) 162
Thermal conductivity of SIMFUEL, P.G. Lucuta, Hj. Matzke, R.A. Verrall and H.A. Tasman 188 (1992) 198
A comparison of the behaviour of fission gases in $UO_{2\pm x}$ and $\alpha$-$U_3O_{8-z}$, R.G.J. Ball and R.W. Grimes 188 (1992) 216
Mass and gamma spectrometric measurements of fission products released from overheated, fresh irradiated, uranium dioxide, R.H.J. Tanke 188 (1992) 262
Ion implantation studies of $UO_2$ and UN, Hj. Matzke and A. Turos 188 (1992) 285
GERMINAL – A computer code for predicting fuel pin behaviour, J.C. Melis, L. Roche, J.P. Piron and J. Truffert 188 (1992) 303
Modelling fission gas behaviour in mixed oxide fuel under normal and off-normal conditions in fast reactors, L. Väth 188 (1992) 308
Modelling of (U, Gd)$O_2$ fuel behaviour in boiling water reactors, A.R. Massih, S. Persson and Z. Weiss 188 (1992) 323

**Fuels and Fuel Elements**

Irradiation behavior of metallic fast reactor fuels, R.G. Pahl, D.L. Porter, D.C. Crawford and L.C. Walters 188 (1992) 3
Development and characteristics of the rim region in high burnup $UO_2$ fuel pellets, M.E. Cunningham, M.D. Freshley and D.D. Lanning 188 (1992) 19
Preparation of uranium nitride in the form of microspheres, G. Ledergerber, Z. Kopajtic, F. Ingold and R.W. Stratton 188 (1992) 28
Mechanism and kinetics of the uranium–plutonium mononitride synthesis, P. Bardelle and D. Warin 188 (1992) 36
Irradiation of a 19 pin subassembly with mixed carbide fuel in KNK II, D. Geithoff, G. Mühling and K. Richter 188 (1992) 43
Microstructural change and its influence on fission gas release in high burnup $UO_2$ fuel, K. Une, K. Nogita, S. Kashibe and M. Imamura 188 (1992) 65
Microstructural analysis of LWR spent fuels at high burnup, L.E. Thomas, C.E. Beyer and L.A. Charlot 188 (1992) 80
Transmission electron microscopy study of fission product behaviour in high burnup $UO_2$, I.L.F. Ray, H. Thiele and Hj. Matzke 188 (1992) 90
Fuel performance under normal PWR conditions: A review of relevant experimental results and models, M. Charles and C. Lemaignan 188 (1992) 96
Fuel rod and core materials investigations related to LWR extended burnup operation, E. Kolstad and C. Vitanza 188 (1992) 104
Information on the evolution of severe LWR fuel element damage obtained in the CORA program, G. Schanz, S. Hagen, P. Hofmann, G. Schumacher and L. Sepold 188 (1992) 131
Failure behavior of plutonium–uranium mixed oxide fuel under reactivity-initiated accident condition, T. Abe, N.

Nakae, K. Kodato, M. Matsumoto and T. Inabe 188 (1992) 154
Transient fuel behavior of preirradiated PWR fuels under reactivity initiated accident conditions, T. Fujishiro, K. Yanagisawa, K. Ishijima and K. Shiba 188 (1992) 162
On the kinetics of $UO_2$ interaction with molten Zircaloy at high temperatures, M.S. Veshchunov and A.M. Volchek 188 (1992) 177
Thermal conductivity of SIMFUEL, P.G. Lucuta, Hj. Matzke, R.A. Verrall and H.A. Tasman 188 (1992) 198
Investigation of nuclear mixed oxide fuel–gas interaction by a solid electrolyte based coulometric technique, K. Teske, C. Nebelung, H. Ullman, I.I. Kapshukov, L.V. Sudakov and A.S. Bevz 188 (1992) 226
Nonideality of the solid solution in $(U, Pu)O_2$ nuclear fuels, M. Beauvy 188 (1992) 232
The fate of nitrogen upon reprocessing of nitride fuels, N. Hadibi-Olschewski, J.-P. Glatz, H. Bokelund and M.J.-F. Leroy 188 (1992) 244
TRANSURANUS: a fuel rod analysis code ready for use, K. Lassmann 188 (1992) 295
Mechanistic model of fission gas behavior in metallic fuel, Y. Tsuboi, T. Ogata, M. Kinoshita and H. Saito 188 (1992) 312
Simplified model for the analysis on the duct wall deflection due to in-reactor creep in LMFBR fuel assemblies, S. Komoda, N. Nakae and M. Matsumoto 188 (1992) 319
Development of the thermal behavior analysis code DIRAD and the fuel design procedure for LMFBR, N. Nakae, K. Tanaka, H. Nakajima and M. Matsumoto 188 (1992) 331

**Gases** *(excl. Hydrogen, Helium and Tritium)* **in Metals, Alloys and Ceramics**
Effect of temperature on bubble precipitation in uranium dioxide implanted with krypton and xenon ions, J.H. Evans 188 (1992) 222
Modelling of inert gas bubble behaviour during annealing of irradiated molybdenum, V.F. Chkuaseli 188 (1992) 258
Modelling fission gas behaviour in mixed oxide fuel under normal and off-normal conditions in fast reactors, L. Väth 188 (1992) 308

**Irradiation Effects** *(excl. Defects, Swelling and Voids)*
Irradiation behavior of metallic fast reactor fuels, R.G. Pahl, D.L. Porter, D.C. Crawford and L.C. Walters 188 (1992) 3
Development and characteristics of the rim region in high burnup $UO_2$ fuel pellets, M.E. Cunningham, M.D. Freshley and D.D. Lanning 188 (1992) 19
Irradiation of a 19 pin subassembly with mixed carbide fuel in KNK II, D. Geithoff, G. Mühling and K. Richter 188 (1992) 43
Fission product behaviour in Phenix fuel pins at high burnup, M. Tourasse, M. Boidron and B. Pasquet 188 (1992) 49
Microstructural change and its influence on fission gas release in high burnup $UO_2$ fuel, K. Une, K. Nogita, S. Kashibe and M. Imamura 188 (1992) 65
Concerning the microstructure changes that occur at the surface of $UO_2$ pellets on irradiation to high burnup, C.T. Walker, T. Kameyama, S. Kitajima and M. Kinoshita 188 (1992) 73
$UO_2$ fuel behavior under RIA type tests, G. Negut and M. Popov 188 (1992) 168
Neutron irradiation effects in boron carbides: Evolution of microstructure and thermal properties, K. Froment, D. Gosset, M. Guéry, B. Kryger and C. Verdeau 188 (1992) 185
Modelling of inert gas bubble behaviour during annealing of irradiated molybdenum, V.F. Chkuaseli 188 (1992) 258
Mass and gamma spectrometric measurements of fission products released from overheated, fresh irradiated, uranium dioxide, R.H.J. Tanke 188 (1992) 262
Simplified model for the analysis on the duct wall deflection due to in-reactor creep in LMFBR fuel assemblies, S. Komoda, N. Nakae and M. Matsumoto 188 (1992) 319

**Kinetics**
Mechanism and kinetics of the uranium–plutonium mononitride synthesis, P. Bardelle and D. Warin 188 (1992) 36
On the kinetics of $UO_2$ interaction with molten Zircaloy at high temperatures, M.S. Veshchunov and A.M. Volchek 188 (1992) 177
Study of the oxidation of a stainless steel under BWR conditions by advanced analytical techniques, C. Degueldre, J.C. Dran and E. Schenker 188 (1992) 255
Structural analysis of oxide scales grown on zirconium alloys in autoclaves and in a PWR, H. Blank, G. Bart and H. Thiele 188 (1992) 273

**Melting**
Information on the evolution of severe LWR fuel element damage obtained in the CORA program, G. Schanz, S. Hagen, P. Hofmann, G. Schumacher and L. Sepold 188 (1992) 131

**Microstructure** *(incl. Textures)*
Development and characteristics of the rim region in high burnup $UO_2$ fuel pellets,

M.E. Cunningham, M.D. Freshley and D.D. Lanning 188 (1992) 19
Microstructural change and its influence on fission gas release in high burnup $UO_2$ fuel, K. Une, K. Nogita, S. Kashibe and M. Imamura 188 (1992) 65
Concerning the microstructure changes that occur at the surface of $UO_2$ pellets on irradiation to high burnup, C.T. Walker, T. Kameyama, S. Kitajima and M. Kinoshita 188 (1992) 73
Transmission electron microscopy study of fission product behaviour in high burnup $UO_2$, I.L.F. Ray, H. Thiele and Hj. Matzke 188 (1992) 90
Neutron irradiation effects in boron carbides: Evolution of microstructure and thermal properties, K. Froment, D. Gosset, M. Guéry, B. Kryger and C. Verdeau 188 (1992) 185
Modelling of inert gas bubble behaviour during annealing of irradiated molybdenum, V.F. Chkuaseli 188 (1992) 258

**Molybdenum and Molybdenum Alloys**
Modelling of inert gas bubble behaviour during annealing of irradiated molybdenum, V.F. Chkuaseli 188 (1992) 258

**Monitoring Methods**
Modelling of inert gas bubble behaviour during annealing of irradiated molybdenum, V.F. Chkuaseli 188 (1992) 258

**Phase Transformation**
On the kinetics of $UO_2$ interaction with molten Zircaloy at high temperatures, M.S. Veshchunov and A.M. Volchek 188 (1992) 177
On the theory of high temperature transition in fluorite-type oxides, M.S. Veshchunov 188 (1992) 189
Stability and structure of the δ phase of the U–Zr alloys, M. Akabori, A. Itoh, T. Ogawa, F. Kobayashi and Y. Suzuki 188 (1992) 249

**Physical Properties** *("Various", i.e. not listed elsewhere by name)*
Thermal conductivity of (U, Pu)$O_{2-x}$ mixed oxide fuel, Y. Philipponneau 188 (1992) 194
Thermal conductivity of SIMFUEL, P.G. Lucuta, Hj. Matzke, R.A. Verrall and H.A. Tasman 188 (1992) 198
Nonideality of the solid solution in (U, Pu)$O_2$ nuclear fuels, M. Beauvy 188 (1992) 232
Development of the thermal behavior analysis code DIRAD and the fuel design procedure for LMFBR, N. Nakae, K. Tanaka, H. Nakajima and M. Matsumoto 188 (1992) 331

**Plutonium, Plutonium Alloys and Compounds**
MOX fuel development: yesterday, today and tomorrow, H. Bairiot and P. Deramaix 188 (1992) 10
Preparation of uranium nitride in the form of microspheres, G. Ledergerber, Z. Kopajtic, F. Ingold and R.W. Stratton 188 (1992) 28
Mechanism and kinetics of the uranium–plutonium mononitride synthesis, P. Bardelle and D. Warin 188 (1992) 36
Irradiation of a 19 pin subassembly with mixed carbide fuel in KNK II, D. Geithoff, G. Mühling and K. Richter 188 (1992) 43
Concerning the microstructure changes that occur at the surface of $UO_2$ pellets on irradiation to high burnup, C.T. Walker, T. Kameyama, S. Kitajima and M. Kinoshita 188 (1992) 73
Failure behavior of plutonium–uranium mixed oxide fuel under reactivity-initiated accident condition, T. Abe, N. Nakae, K. Kodato, M. Matsumoto and T. Inabe 188 (1992) 154
Thermal conductivity of (U, Pu)$O_{2-x}$ mixed oxide fuel, Y. Philipponneau 188 (1992) 194
Nonideality of the solid solution in (U, Pu)$O_2$ nuclear fuels, M. Beauvy 188 (1992) 232
Vaporization behavior of uranium–plutonium mixed nitride, Y. Suzuki, A. Maeda, Y. Arai and T. Ohmichi 188 (1992) 239

**Pore Behaviour and Porosity**
Transmission electron microscopy study of fission product behaviour in high burnup $UO_2$, I.L.F. Ray, H. Thiele and Hj. Matzke 188 (1992) 90

**Powder Processes and Products**
Preparation of uranium nitride in the form of microspheres, G. Ledergerber, Z. Kopajtic, F. Ingold and R.W. Stratton 188 (1992) 28
Mechanism and kinetics of the uranium–plutonium mononitride synthesis, P. Bardelle and D. Warin 188 (1992) 36

**Recrystallization, Recovery and Grain Growth**
Concerning the microstructure changes that occur at the surface of $UO_2$ pellets on irradiation to high burnup, C.T. Walker, T. Kameyama, S. Kitajima and M. Kinoshita 188 (1992) 73

**Radiation Damage**
Ion implantation studies of $UO_2$ and UN, Hj. Matzke and A. Turos 188 (1992) 285

**Safety of Nuclear Reactors**
The Phebus fission product project, P. von der Hardt and A. Tattegrain 188 (1992) 115
Information on the evolution of severe LWR fuel element damage obtained in the CORA program, G. Schanz, S. Hagen, P. Hofmann, G. Schumacher and L. Sepold 188 (1992) 131
Fuel behaviour under severe accident conditions: Interpretation of PTE results from the CABRI test programme, H. Steiner 188 (1992) 146
Failure behavior of plutonium–uranium mixed oxide fuel under reactivity-initiated accident condition, T. Abe, N. Nakae, K. Kodato, M. Matsumoto and T. Inabe 188 (1992) 154
Transient fuel behavior of preirradiated PWR fuels under reactivity initiated accident conditions, T. Fujishiro, K. Yanagisawa, K. Ishijima and K. Shiba 188 (1992) 162
$UO_2$ fuel behavior under RIA type tests, G. Negut and M. Popov 188 (1992) 168
Study of the oxidation of a stainless steel under BWR conditions by advanced analytical techniques, C. Degueldre, J.C. Dran and E. Schenker 188 (1992) 255
Mass and gamma spectrometric measurements of fission products released from overheated, fresh irradiated, uranium dioxide, R.H.J. Tanke 188 (1992) 262
TRANSURANUS: a fuel rod analysis code ready for use, K. Lassmann 188 (1992) 295
GERMINAL – A computer code for predicting fuel pin behaviour, J.C. Melis, L. Roche, J.P. Piron and J. Truffert 188 (1992) 303

**Segregation**
Ion implantation studies of $UO_2$ and UN, Hj. Matzke and A. Turos 188 (1992) 285

**Surface Effects and Characterization Techniques**
Study of the oxidation of a stainless steel under BWR conditions by advanced analytical techniques, C. Degueldre, J.C. Dran and E. Schenker 188 (1992) 255

**Swelling**
Transmission electron microscopy study of fission product behaviour in high burnup $UO_2$, I.L.F. Ray, H. Thiele and Hj. Matzke 188 (1992) 90
Mechanistic model of fission gas behavior in metallic fuel, Y. Tsuboi, T. Ogata, M. Kinoshita and H. Saito 188 (1992) 312

**Thermal Reactors**
MOX fuel development: yesterday, today and tomorrow, H. Bairiot and P. Deramaix 188 (1992) 10
Fuel performance under normal PWR conditions: A review of relevant experimental results and models, M. Charles and C. Lemaignan 188 (1992) 96
Fuel rod and core materials investigations related to LWR extended burnup operation, E. Kolstad and C. Vitanza 188 (1992) 104
The Phebus fission product project, P. von der Hardt and A. Tattegrain 188 (1992) 115
Information on the evolution of severe LWR fuel element damage obtained in the CORA program, G. Schanz, S. Hagen, P. Hofmann, G. Schumacher and L. Sepold 188 (1992) 131
Transient fuel behavior of preirradiated PWR fuels under reactivity initiated accident conditions, T. Fujishiro, K. Yanagisawa, K. Ishijima and K. Shiba 188 (1992) 162
TRANSURANUS: a fuel rod analysis code ready for use, K. Lassmann 188 (1992) 295
Development of the thermal behavior analysis code DIRAD and the fuel design procedure for LMFBR, N. Nakae, K. Tanaka, H. Nakajima and M. Matsumoto 188 (1992) 331
Modelling of $(U, Gd)O_2$ fuel behaviour in boiling water reactors, A.R. Massih, S. Persson and Z. Weiss 188 (1992) 323

**Thermodynamic Properties**
Fission product behaviour in Phenix fuel pins at high burnup, M. Tourasse, M. Boidron and B. Pasquet 188 (1992) 49
Fuel rod and core materials investigations related to LWR extended burnup operation, E. Kolstad and C. Vitanza 188 (1992) 104
On the theory of high temperature transition in fluorite-type oxides, M.S. Veshchunov 188 (1992) 189
High temperature heat capacities and electrical conductivities of $UO_2$ doped with yttrium and simulated fission products, T. Matsui, Y. Arita and K. Naito 188 (1992) 205
A comparison of the behaviour of fission gases in $UO_{2\pm x}$ and $\alpha$-$U_3O_{8-z}$, R.G.J. Ball and R.W. Grimes 188 (1992) 216
Vaporization behavior of uranium–plutonium mixed nitride, Y. Suzuki, A. Maeda, Y. Arai and T. Ohmichi 188 (1992) 239
Carbon activity measurements in boron carbides using a solid state potentiometric cell, K. Froment, C. Chatillon, J. Fouletier and M. Fouletier 188 (1992) 280

**Thermophysical Properties**
Neutron irradiation effects in boron carbides: Evolution of microstructure and thermal properties, K. Froment, D. Gosset, M. Guéry, B. Kryger and C. Verdeau 188 (1992) 185

Thermal conductivity of (U, Pu)$O_{2-x}$ mixed oxide fuel, Y. Philipponneau 188 (1992) 194
Thermal conductivity of SIMFUEL, P.G. Lucuta, Hj. Matzke, R.A. Verrall and H.A. Tasman 188 (1992) 198
Investigation of nuclear mixed oxide fuel–gas interaction by a solid electrolyte based coulometric technique, K. Teske, C. Nebelung, H. Ullman, I.I. Kapshukov, L.V. Sudakov and A.S. Bevz 188 (1992) 226
Nonideality of the solid solution in (U, Pu)$O_2$ nuclear fuels, M. Beauvy 188 (1992) 232
Modelling of (U, Gd)$O_2$ fuel behaviour in boiling water reactors, A.R. Massih, S. Persson and Z. Weiss 188 (1992) 323

**Uranium and Uranium Alloys**
Irradiation behavior of metallic fast reactor fuels, R.G. Pahl, D.L. Porter, D.C. Crawford and L.C. Walters 188 (1992) 3
Stability and structure of the δ phase of the U–Zr alloys, M. Akabori, A. Itoh, T. Ogawa, F. Kobayashi and Y. Suzuki 188 (1992) 249
Mechanistic model of fission gas behavior in metallic fuel, Y. Tsuboi, T. Ogata, M. Kinoshita and H. Saito 188 (1992) 312

**Uranium Ceramics**
Development and characteristics of the rim region in high burnup $UO_2$ fuel pellets, M.E. Cunningham, M.D. Freshley and D.D. Lanning 188 (1992) 19
Preparation of uranium nitride in the form of microspheres, G. Ledergerber, Z. Kopajtic, F. Ingold and R.W. Stratton 188 (1992) 28
Fission product behaviour in fast breeder fuel pins, O. Götzmann 188 (1992) 58
Microstructural change and its influence on fission gas release in high burnup $UO_2$ fuel, K. Une, K. Nogita, S. Kashibe and M. Imamura 188 (1992) 65
Concerning the microstructure changes that occur at the surface of $UO_2$ pellets on irradiation to high burnup, C.T. Walker, T. Kameyama, S. Kitajima and M. Kinoshita 188 (1992) 73
Microstructural analysis of LWR spent fuels at high burnup, L.E. Thomas, C.E. Beyer and L.A. Charlot 188 (1992) 80
Transmission electron microscopy study of fission product behaviour in high burnup $UO_2$, I.L.F. Ray, H. Thiele and Hj. Matzke 188 (1992) 90
Fuel performance under normal PWR conditions: A review of relevant experimental results and models, M. Charles and C. Lemaignan 188 (1992) 96
Fuel behaviour under severe accident conditions: Interpretation of PTE results from the CABRI test programme, H. Steiner 188 (1992) 146
$UO_2$ fuel behavior under RIA type tests, G. Negut and M. Popov 188 (1992) 168
On the kinetics of $UO_2$ interaction with molten Zircaloy at high temperatures, M.S. Veshchunov and A.M. Volchek 188 (1992) 177
On the theory of high temperature transition in fluorite-type oxides, M.S. Veshchunov 188 (1992) 189
Thermal conductivity of (U, Pu)$O_{2-x}$ mixed oxide fuel, Y. Philipponneau 188 (1992) 194
Thermal conductivity of SIMFUEL, P.G. Lucuta, Hj. Matzke, R.A. Verrall and H.A. Tasman 188 (1992) 198
High temperature heat capacities and electrical conductivities of $UO_2$ doped with yttrium and simulated fission products, T. Matsui, Y. Arita and K. Naito 188 (1992) 205
Defect structure and oxygen diffusion in $UO_{2+\delta}$, J.P. Goff, B. Fåk, W. Hayes and M.T. Hutchings 188 (1992) 210
A comparison of the behaviour of fission gases in $UO_{2\pm x}$ and α-$U_3O_{8-z}$, R.G.J. Ball and R.W. Grimes 188 (1992) 216
Effect of temperature on bubble precipitation in uranium dioxide implanted with krypton and xenon ions, J.H. Evans 188 (1992) 222
Investigation of nuclear mixed oxide fuel–gas interaction by a solid electrolyte based coulometric technique, K. Teske, C. Nebelung, H. Ullman, I.I. Kapshukov, L.V. Sudakov and A.S. Bevz 188 (1992) 226
Vaporization behavior of uranium–plutonium mixed nitride, Y. Suzuki, A. Maeda, Y. Arai and T. Ohmichi 188 (1992) 239
The fate of nitrogen upon reprocessing of nitride fuels, N. Hadibi-Olschewski, J.-P. Glatz, H. Bokelund and M.J.-F. Leroy 188 (1992) 244
Ion implantation studies of $UO_2$ and UN, Hj. Matzke and A. Turos 188 (1992) 285
Modelling of (U, Gd)$O_2$ fuel behaviour in boiling water reactors, A.R. Massih, S. Persson and Z. Weiss 188 (1992) 323

**Vaporization**
Fission product behaviour in fast breeder fuel pins, O. Götzmann 188 (1992) 58
Vaporization behavior of uranium–plutonium mixed nitride, Y. Suzuki, A. Maeda, Y. Arai and T. Ohmichi 188 (1992) 239
Mass and gamma spectrometric measurements of fission products released from overheated, fresh irradiated, uranium dioxide, R.H.J. Tanke 188 (1992) 262

**Zirconium, Zirconium Alloys and Compounds**
Fuel performance under normal PWR conditions: A review of relevant experimental results and models, M. Charles and C. Lemaignan 188 (1992) 96
Fuel rod and core materials investigations related to LWR extended burnup operation, E. Kolstad and C. Vitanza 188 (1992) 104
On the kinetics of $UO_2$ interaction with molten Zircaloy at high temperatures, M.S. Veshchunov and A.M. Volchek 188 (1992) 177
Stability and structure of the δ phase of the U–Zr alloys, M. Akabori, A. Itoh, T. Ogawa, F. Kobayashi and Y. Suzuki 188 (1992) 249
Structural analysis of oxide scales grown on zirconium alloys in autoclaves and in a PWR, H. Blank, G. Bart and H. Thiele 188 (1992) 273